

Hy-Flake colour chart

Epoxy flake flooring blends









HYFLAKE EPOXY FLAKE FLOORING



HYCHEM
CONSTRUCTION RESINS

Colour chart

Natural Stone range

	Blue Stone 421		Brown STC 409		Earth Stone 417		Fire Stone 419		Gemstone 420
	Graphite Stone 424		Green Stone 422		Grey STC 406		Grey Stone 423		Khaki STC 410
	Natural Stone 415		Ocean STC 401		Quartz Stone 418		Real Stone 416		Rivergum STC 405
	Sand STC 411								

PLEASE NOTE

The colour swatches give a guide to colours that are generally available from HYCHEM. The colours are only approximate, due to the inherent difference between the printing process and the actual colour. It is the responsibility of the purchaser to approve the actual colour to be supplied. HYCHEM will also manufacture epoxy pigments of other colours against firm order.

The use of non-epoxy retail and industrial pigments is theoretically possible. The use of epoxy pigments is however recommended wherever water or chemical resistance is an important issue. Universal paint pigments will destroy water resistance and can cause compatibility problems. Industrial paint pigments can seriously affect the chemical resistance of any epoxy coating to which they are added.

Head Office Unit 1, 30 Bluet Drive, Smeaton Grange NSW 2567

T (02) 4646 1660 F (02) 4647 3700 E admin@hychem.com.au W www.hychem.com.au



HYCHEM
CONSTRUCTION RESINS

ORIGINAL EDITION

2019

PAGES

6 · PDF

THIS ISSUE


2026 cover · the original 4 pages inside,
unchanged

HYFLAKE EPOXY FLAKE FLOORING



Colour chart

Natural Stone range



Blue Stone 421




Brown STC 409




Earth Stone 417



Fire Stone 419



Gemstone 420




Graphite Stone 424




Green Stone 422



Grey STC 406




Grey Stone 423




Khaki STC 410




Natural Stone 415



Ocean STC 401



Quartz Stone 418



Real Stone 416



Rivergum STC 405



Sand STC 411

PLEASE NOTE

The colour swatches give a guide to colours that are generally available from HYCHEM. The colours are only approximate, due to the inherent difference between the printing process and the actual colour.

It is the responsibility of the purchaser to approve the actual colour to be supplied. HYCHEM will also manufacture epoxy pigments of other colours against firm order.


The use of non-epoxy retail and industrial pigments is theoretically possible. The use of epoxy pigments is however recommended wherever water or chemical resistance is an important issue. Universal paint pigments will destroy water resistance and can cause compatibility problems. Industrial paint pigments can seriously affect the chemical resistance of any epoxy coating to which they are added.

Head Office Unit 1, 30 Bluett Drive, Smeaton Grange NSW 2567
T (02) 4646 1660 **F** (02) 4647 3700 **E** admin@hychem.com.au **W** www.hychem.com.au






Black marble (large)




Caramel marble (large)



Grey metal marble (large)



Heritage marble (large)



Midnight marble (large)



Black marble (small)



Caramel marble (small)




Grey metal marble (small)




Heritage marble (small)



Midnight marble (small)



Pine marble (large)



Richmond marble (large)



Rusty marble (large)




Tan marble (large)




Terracotta marble (large)



Pine marble (small)



Richmond marble (small)



Rusty marble (small)




Tan marble (small)

Head Office Unit 1, 30 Bluett Drive, Smeaton Grange NSW 2567

T (02) 4646 1660 **F** (02) 4647 3700 **E** admin@hychem.com.au **W** www.hychem.com.au



Bamboo




Black granite




Carnivale



Claypan



Coppertone



Fiesta



Fossil



Freckle



Frosty



Glacier



Grey granite




Latte



Moonlite



Oatmeal



Oyster



Paprika



Saffron



Sandalwood



Savannah




Seashell



Sherbet



Showtime



Storm




Sunset



HYCHEM
CONSTRUCTION RESINS




Ash grey (large)



Champagne (large)



Desert grey (large)



Driftwood (large)



Eastwick (large)



Ash grey (small)




Champagne (small)




Desert grey (small)




Driftwood (small)



Eastwick (small)



Fox (large)




Fruit salad (large)



Grenadine (large)



Grey mist (large)



Greywacke (large)




Fox (small)



Fruit salad (small)



Grenadine (small)



Grey mist (small)



Greywacke (small)



Honeycomb (large)



Sahara (large)




Snowfield (large)




Steel (large)



Honeycomb (small)



Sahara (small)



Snowfield (small)



Steel (small)

Talk to Hychem

Technical advice, specifications and an approved applicator near your project.

Head office and manufacturing — NSW

Unit 1, 30 Bluett Drive
Smeaton Grange NSW 2567
T (02) 4646 1660
E admin@hychem.com.au
Zach Chapman 0403 348 155 · Kynan Bhardwaj 0417 142 369 · Daniel
Qoriniasi 0498 503 529
Also: 4/18 Jumal Place, Smithfield NSW 2164

Queensland

Unit 2, Lot 3/62 Crockford Street
Northgate QLD 4013
T 0477 684 439
E briang@hychem.com.au
Brian Goleman

Victoria

2/2 Indian Drive
Keysborough VIC 3173
T 0429 581 928
E lukej@hychem.com.au
Luke Jones — Flooring

WA · SA · TAS

T 0400 024 400
E ChrisB@hychem.com.au
Chris Bauer — Flooring Director

PHONE

1300 HYCHEM (1300 492 436)

EMAIL

admin@hychem.com.au

WEB

hychemflooring.com.au

Customer Responsibility

The technical information and application advice given in this publication is based on the best information available at the time of print. As the information herein is of a general nature, no assumption can be made as to the product suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by Commonwealth or State Legislation. The owner, his representative or the contractor is responsible for checking the suitability of products for their intended use.

Legal Notes

The information, and in particular the recommendations relating to the application and end-use of HYCHEM products, are given in good faith based on HYCHEM's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with HYCHEM's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. HYCHEM reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.